

CENTURY V SERIES

PROGRESSING CAVITY PUMP

Design

Gear driven, heavy duty drive end

Flow Rates

Flow capacities to 1,025 GPM/3.88m³/min.

Pressures

Pressures to 500 PSI/34.5 bar

Construction

Available in cast iron or stainless steel and internally in carbon steel or stainless steel

DuraFlo™ Stator Elastomers and Temperature Capabilities

EPDM (70 durometer) 260°F/126°C

Buna (Nitrile) 50 Duro 210°F/100°C

Buna (Nitrile) 70 Duro food grade 210°F/100°C

Fluoroelastomer (70 durometer) 400°F/205°C

Nitrile (70 durometer) 210°F/100°C

Natural Rubber (55 durometer) 185°F/85°C

High Temperature Buna (Nitrile) 330°F/166°C

Application Versatility

- Tar
- Joint Cement
- Slurries
- Sheer Sensitive Polymers
- Resins
- Sludge Transfer
- Grease and Scum
- Clay Slurry
- Calcium Carbonate
- Latex




Markets Served

- Wastewater
- Chemical Processing
- Pulp & Paper
- Food Processing



Century V Series

PROGRESSING CAVITY PUMP



Century V Series

PROGRESSING CAVITY PUMP

Dimensions (Inches)

MODEL	GENERAL PUMP DIMENSIONS																DRIVESHAFT			SUCTION			DISCHARGE		
	A	B	C	D	E	F	G	H	I	J	K	L	M	R	S	W	U	N	KEYWAY	SIZE	T	V	SIZE	P	Q
105T008	11.94	5.50	16.75	4.69	0.75	****	****	11.50	0.88	6.00	6.50	38.88	3.13	7.00	13.00	8.00	1.88	5.50	1/2x1/4	4.00	3/4 (8)	7.50	4.00	5/8-11 (8)	7.50
205T008	11.94	5.50	20.00	9.56	0.75	****	****	11.50	0.88	6.00	6.50	47.00	3.13	7.00	21.13	8.00	1.88	5.50	1/2x1/4	4.00	3/4 (8)	7.50	4.00	5/8-11 (8)	7.50
405T008	11.94	5.50	36.00	10.06	0.75	18.00	****	11.50	0.88	6.00	6.50	63.50	3.13	7.00	37.63	8.00	1.88	5.50	1/2x1/4	4.00	3/4 (8)	7.50	4.00	3/4-10 (8)	7.88
605T008	11.94	5.50	48.00	14.06	0.75	30.00	****	11.50	0.88	6.00	6.50	79.50	3.13	7.00	53.63	8.00	1.88	5.50	1/2x1/4	4.00	3/4 (8)	7.50	4.00	3/4-10 (8)	7.88
105T012	11.94	5.50	18.00	6.56	0.75	****	****	11.50	0.88	6.00	6.50	42.00	3.13	7.00	16.13	8.00	1.88	5.50	1/2x1/4	4.00	3/4 (8)	7.50	4.00	5/8-11 (8)	7.50
205T012	11.94	5.50	22.00	13.69	0.75	****	****	11.50	0.88	6.00	6.50	53.13	3.13	7.00	27.25	8.00	1.88	5.50	1/2x1/4	4.00	3/4 (8)	7.50	4.00	5/8-11 (8)	7.50
405T012	11.94	5.50	48.00	10.19	0.75	18.00	****	11.50	0.88	6.00	6.50	75.63	3.13	7.00	49.75	8.00	1.88	5.50	1/2x1/4	4.00	3/4 (8)	7.50	4.00	3/4-10 (8)	7.88
605T012	11.94	5.50	70.00	10.44	0.75	30.00	****	11.50	0.88	6.00	6.50	97.88	3.13	7.00	72.00	8.00	1.88	5.50	1/2x1/4	4.00	3/4 (8)	7.50	4.00	3/4-10 (8)	7.88
105T022	11.94	5.50	18.00	7.88	0.75	****	****	12.50	0.88	6.00	6.50	43.31	3.13	7.00	17.19	8.00	1.88	5.50	1/2x1/4	6.00	7/8 (8)	9.50	6.00	3/4-10 (8)	9.50
205T022	11.94	5.50	27.00	11.75	0.75	****	****	12.50	0.88	6.00	6.50	56.19	3.13	7.00	30.06	8.00	1.88	5.50	1/2x1/4	6.00	7/8 (8)	9.50	6.00	3/4-10 (8)	9.50
405T022	11.94	5.50	56.00	9.50	0.75	20.00	****	12.50	0.88	6.00	6.50	82.94	3.13	7.00	56.81	8.00	1.88	5.50	1/2x1/4	6.00	7/8 (8)	9.50	6.00	3/4-10 (8)	9.50
605T022	11.94	5.50	81.50	9.50	0.75	20.00	30.00	12.50	0.88	6.00	6.50	108.44	3.13	7.00	82.31	8.00	1.88	5.50	1/2x1/4	6.00	7/8 (8)	9.50	6.00	3/4-10 (8)	9.50
606T012	13.00	6.75	67.00	15.63	1.00	27.00	****	13.50	0.88	7.00	8.50	102.38	3.63	8.00	72.50	10.00	2.13	5.50	1/2x1/4	6.00	7/8 (8)	9.50	4.00	7/8-9 (8)	8.50
406T022	13.00	6.75	56.00	10.94	1.00	20.00	****	13.50	0.88	7.00	8.50	86.69	3.63	8.00	56.81	10.00	2.13	5.50	1/2x1/4	6.00	7/8 (8)	9.50	6.00	3/4-10 (12)	10.63
606T022	13.00	6.75	80.00	12.50	1.00	20.00	30.00	13.50	0.88	7.00	8.50	112.25	3.63	8.00	82.37	10.00	2.13	5.50	1/2x1/4	6.00	7/8 (8)	9.50	6.00	3/4-10 (12)	10.63
106T036	13.00	6.75	21.00	7.88	1.00	****	****	14.00	0.88	7.00	8.50	48.63	3.63	8.00	19.63	10.00	2.13	5.50	1/2x1/4	6.00	7/8 (8)	9.50	6.00	3/4-10 (8)	9.50
206T036	13.00	6.75	29.00	14.38	1.00	****	****	14.00	0.88	7.00	8.50	63.13	3.63	8.00	34.13	10.00	2.13	5.50	1/2x1/4	6.00	7/8 (8)	9.50	6.00	3/4-10 (8)	9.50
406T036	13.00	6.75	59.00	13.38	1.00	29.00	****	14.00	0.88	7.00	8.50	92.13	3.63	8.00	63.13	10.00	2.13	5.50	1/2x1/4	6.00	7/8 (8)	9.50	6.00	3/4-10 (8)	9.50
106T050	13.00	6.75	24.00	10.19	1.00	****	****	14.00	0.88	7.00	8.50	53.94	3.63	8.00	24.94	10.00	2.13	5.50	1/2x1/4	6.00	7/8 (8)	9.50	6.00	3/4-10 (8)	9.50
206T050	13.00	6.75	45.00	9.00	1.00	20.00	****	14.00	0.88	7.00	8.50	73.75	3.63	8.00	44.75	10.00	2.13	5.50	1/2x1/4	6.00	7/8 (8)	9.50	6.00	3/4-10 (8)	9.50
607T022	14.50	7.75	72.00	22.63	1.00	36.00	****	16.00	0.88	9.00	9.50	116.88	4.00	7.00	84.75	11.50	2.38	6.00	5/8x5/16	6.00	7/8 (8)	9.50	6.00	1-8 (12)	11.50
407T036	14.50	7.75	60.00	14.81	1.00	30.00	****	16.00	0.88	9.00	9.50	97.06	4.00	7.00	64.94	11.50	2.38	6.00	5/8x5/16	6.00	7/8 (8)	9.50	6.00	3/4-10 (12)	10.63
607T036	14.50	7.75	90.00	13.56	1.00	30.00	30.00	16.00	0.88	9.00	9.50	125.81	4.00	7.00	93.69	11.50	2.38	6.00	5/8x5/16	6.00	7/8 (8)	9.50	6.00	3/4-10 (12)	10.63
207T050	14.50	7.75	45.00	11.00	1.00	****	****	16.00	0.88	9.00	9.50	78.25	4.00	7.00	46.12	11.50	2.38	6.00	5/8x5/16	6.00	7/8 (8)	9.50	6.00	3/4-10 (8)	9.50
407T050	14.50	7.75	78.00	18.19	1.00	48.00	****	16.00	0.88	9.00	9.50	118.44	4.00	7.00	86.31	11.50	2.38	6.00	5/8x5/16	6.00	7/8 (8)	9.50	6.00	3/4-10 (12)	10.63
607T050	14.50	7.75	112.00	23.94	1.00	30.00	46.00	16.00	0.88	9.00	9.50	158.19	4.00	7.00	126.06	11.50	2.38	6.00	5/8x5/16	6.00	7/8 (8)	9.50	6.00	3/4-10 (12)	10.63
107T065	14.50	7.75	26.00	8.63	1.00	****	****	17.50	0.88	9.00	9.50	56.88	4.00	7.00	23.75	11.50	2.38	6.00	5/8x5/16	8.00	7/8 (8)	11.75	8.00	3/4-10 (8)	11.75
207T065	14.50	7.75	34.00	18.50	1.00	****	****	17.50	0.88	9.00	9.50	74.75	4.00	7.00	41.63	11.50	2.38	6.00	5/8x5/16	8.00	7/8 (8)	11.75	8.00	3/4-10 (8)	11.75
407T065	14.50	7.75	70.00	18.75	1.00	34.00	****	17.50	0.88	9.00	9.50	110.63	4.00	7.00	77.88	11.50	2.38	6.00	5/8x5/16	8.00	7/8 (8)	11.75	8.00	3/4-10 (8)	11.75
107T090	14.50	7.75	26.00	15.13	1.00	****	****	17.50	0.88	9.00	9.50	63.38	4.00	7.00	30.25	11.50	2.38	6.00	5/8x5/16	8.00	7/8 (8)	11.75	8.00	3/4-10 (8)	11.75
207T090	14.50	7.75	56.00	9.63	1.00	26.00	****	17.50	0.88	9.00	9.50	87.88	4.00	7.00	54.75	11.50	2.38	6.00	5/8x5/16	8.00	7/8 (8)	11.75	8.00	3/4-10 (8)	11.75
408T065	15.13	9.50	70.00	20.50	1.13	35.00	****	19.50	1.00	11.00	13.00	115.13	4.00	10.00	79.50	15.00	2.88	6.35	3/4x3/8	8.00	7/8 (8)	11.75	8.00	7/8-9 (12)	13.00
608T065	15.13	9.50	115.00	11.00	1.13	35.00	40.00	19.50	1.00	11.00	13.00	150.62	4.00	10.00	115.00	15.00	2.88	6.35	3/4x3/8	8.00	7/8 (8)	11.75	8.00	7/8-9 (12)	13.00
208T090	15.13	9.50	57.00	10.38	1.13	27.00	****	19.50	1.00	11.00	13.00	92.00	4.00	10.00	56.38	15.00	2.88	6.35	3/4x3/8	8.00	7/8 (8)	11.75	8.00	3/4-10 (8)	11.75
408T090	15.13	9.50	102.00	14.88	1.13	30.00	36.00	19.50	1.00	11.00	13.00	141.50	4.00	10.00	105.88	15.00	2.88	6.35	3/4x3/8	8.00	7/8 (8)	11.75	8.00	7/8-9 (12)	13.00
608T090	15.13	9.50	145.00	20.88	1.13	35.00	55.00	19.50	1.00	11.00	13.00	190.50	4.00	10.00	154.88	15.00	2.88	6.35	3/4x3/8	8.00	7/8 (8)	11.75	8.00	7/8-9 (12)	13.00
108T115	15.13	9.50	30.00	11.88	1.13	****	****	19.50	1.00	11.00	13.00	66.50	4.00	10.00	30.88	15.00	2.88	6.35	3/4x3/8	8.00	7/8 (8)	11.75	8.00	3/4-10 (8)	11.75
208T115	15.13	9.50	54.00	11.25	1.13	30.00	****	19.50	1.00	11.00	13.00	89.88	4.00	10.00	54.25	15.00	2.88	6.35	3/4x3/8	8.00	7/8 (8)	11.75	8.00	3/4-10 (8)	11.75
410T090	16.00	12.00	102.00	15.90	1.13	30.00	36.00	19.50	1.00	11.00	13.00	145.90	4.00	12.00	106.15	15.00	3.38	6.50	7/8x7/16	8.00	7/8 (8)	11.75	8.00	7/8-9 (12)	13.00
610T090	16.00	12.00	150.00	16.52	1.13	30.00	60.00	19.50	1.00	11.00	13.00	194.52	4.00	12.00	154.77	15.00	3.38	6.50	7/8x7/16	8.00	7/8 (8)	11.75	8.00	7/8-9 (12)	13.00
410T115	16.00	12.00	102.00	11.75	1.13	30.00	36.00	19.50	1.00	11.00	13.00	141.75	4.00	12.00	102.00	15.00	3.38	6.50	7/8x7/16	8.00	7/8 (8)	11.75	8.00	7/8-9 (12)	13.00
610T115	16.00	12.00	140.00	20.40	1.10	30.00	55.00	19.50	1.00	11.00	13.00	188.40	4.00	12.00	148.65	15.00	3.38	6.50	7/8x7/16	8.00	7/8 (8)	11.75	8.00	7/8-9 (12)	13.00
110T175	16.00	12.00	30.00	16.75	1.13	****	****	21.50	1.00	11.00	13.00	74.75	4.00	12.00	33.88	15.00	3.38	6.50	7/8x7/16	10.00	1 (12)	14.25	10.00	7/8-9 (12)	14.25
210T175	16.00	12.00	60.00	13.38	1.13	30.00	****	21.50	1.00	11.00	13.00	101.38	4.00	12.00	60.50	15.00	3.38	6.50	7/8x7/16	10.00	1 (12)	14.25	10.00	7/8-9 (12)	14.25
410T175	16.00	12.00	110.00	16.63	1.13	30.00	40.00	21.50	1.00	11.00	13.00	154.63	4.00	12.00	113.82	15.00	3.38	6.50	7/8x7/16	10.00	1 (12)	14.25	10.00	7/8-9 (12)	14.25
111T345	21.00	15.00	57.00	13.25	1.25	30.00	****	23.50	1.00	13.00	14.50	106.25	4.13	13.00	56.28	17.00	3.88	7.43	1x1/2	10.00	1 (12)	14.25	10.00	7/8-9 (12)	14.25
211T345	21.00	15.00	90.00	26.34	1.25	48.00	****	23.50	1.00	13.00	14.50	152.34	4.13</												

Century V Series

PROGRESSING CAVITY PUMP

Dimensions (millimeters)

MODEL	GENERAL PUMP DIMENSIONS																DRIVESHAFT			SUCTION			DISCHARGE			
	A	B	C	D	E	F	G	H	I	J	K	L	M	R	S	W	U	N	KEYWAY	SIZE	T	V	SIZE	P	Q	
105T008	303.3	139.7	425.5	119.1	19.1	****	****	292.1	22.4	152.4	165.1	987.6	79.5	177.8	330.2	203.2	47.8	139.7	***	101.6	***	190.5	102	***	190.5	
205T008	303.3	139.7	508.0	242.8	19.1	****	****	292.1	22.4	152.4	165.1	1193.8	79.5	177.8	536.7	203.2	47.8	139.7	***	101.6	***	190.5	102	***	190.5	
405T008	303.3	139.7	914.4	255.5	19.1	457.2	****	292.1	22.4	152.4	165.1	1612.9	79.5	177.8	955.8	203.2	47.8	139.7	***	101.6	***	190.5	102	***	200.2	
605T008	303.3	139.7	1219.2	357.1	19.1	762.0	****	292.1	22.4	152.4	165.1	2019.3	79.5	177.8	1362.2	203.2	47.8	139.7	***	101.6	***	190.5	102	***	200.2	
105T012	303.3	139.7	457.2	166.6	19.1	****	****	292.1	22.4	152.4	165.1	1066.8	79.5	177.8	409.7	203.2	47.8	139.7	***	101.6	***	190.5	102	***	190.5	
205T012	303.3	139.7	558.8	347.7	19.1	****	****	292.1	22.4	152.4	165.1	1349.5	79.5	177.8	692.2	203.2	47.8	139.7	***	101.6	***	190.5	102	***	190.5	
405T012	303.3	139.7	1219.2	258.8	19.1	457.2	****	292.1	22.4	152.4	165.1	1921.0	79.5	177.8	1263.7	203.2	47.8	139.7	***	101.6	***	190.5	102	***	200.2	
605T012	303.3	139.7	1778.0	265.2	19.1	762.0	****	292.1	22.4	152.4	165.1	2486.2	79.5	177.8	1828.8	203.2	47.8	139.7	***	101.6	***	190.5	102	***	200.2	
105T022	303.3	139.7	457.2	200.2	19.1	****	****	317.5	22.4	152.4	165.1	1100.1	79.5	177.8	438.6	203.2	47.8	139.7	***	152.4	***	241.3	152	***	241.3	
205T022	303.3	139.7	685.8	298.5	19.1	****	****	317.5	22.4	152.4	165.1	1427.2	79.5	177.8	763.5	203.2	47.8	139.7	***	152.4	***	241.3	152	***	241.3	
405T022	303.3	139.7	1422.4	241.3	19.1	508.0	****	317.5	22.4	152.4	165.1	2106.7	79.5	177.8	1443.0	203.2	47.8	139.7	***	152.4	***	241.3	152	***	241.3	
605T022	303.3	139.7	2070.1	241.3	19.1	508.0	762.0	317.5	22.4	152.4	165.1	2754.4	79.5	177.8	2090.7	203.2	47.8	139.7	***	152.4	***	241.3	152	***	241.3	
806T012	330.2	171.5	1701.8	397.0	25.4	685.8	****	342.9	22.4	177.8	215.9	2800.5	92.2	203.2	1841.5	254.0	54.1	139.7	***	152.4	***	241.3	152	***	215.9	
406T022	330.2	171.5	1422.4	277.9	25.4	508.0	****	342.9	22.4	177.8	215.9	2201.9	92.2	203.2	1443.0	254.0	54.1	139.7	***	152.4	***	241.3	152	***	270	
606T022	330.2	171.5	2032.0	317.5	25.4	508.0	762.0	342.9	22.4	177.8	215.9	2851.2	92.2	203.2	2092.2	254.0	54.1	139.7	***	152.4	***	241.3	152	***	270	
106T036	330.2	171.5	533.4	200.2	25.4	****	****	355.6	22.4	177.8	215.9	1235.2	92.2	203.2	498.6	254.0	54.1	139.7	***	152.4	***	241.3	152	***	241.3	
206T036	330.2	171.5	736.6	365.3	25.4	****	****	355.6	22.4	177.8	215.9	1603.5	92.2	203.2	866.9	254.0	54.1	139.7	***	152.4	***	241.3	152	***	241.3	
406T036	330.2	171.5	1498.6	339.9	25.4	736.6	****	355.6	22.4	177.8	215.9	2340.1	92.2	203.2	1603.5	254.0	54.1	139.7	***	152.4	***	241.3	152	***	241.3	
106T050	330.2	171.5	609.6	258.8	25.4	****	****	355.6	22.4	177.8	215.9	1370.1	92.2	203.2	633.5	254.0	54.1	139.7	***	152.4	***	241.3	152	***	241.3	
206T050	330.2	171.5	1143.0	228.6	25.4	508.0	****	355.6	22.4	177.8	215.9	1873.3	92.2	203.2	1136.5	254.0	54.1	139.7	***	152.4	***	241.3	152	***	241.3	
607T022	368.3	196.9	1828.8	574.8	25.4	914.4	****	406.4	22.4	228.6	241.3	2968.8	101.6	177.8	2152.7	292.1	60.5	152.4	***	152.4	***	241.3	152	***	292.1	
407T036	368.3	196.9	1524.0	376.2	25.4	762.0	****	406.4	22.4	228.6	241.3	2465.3	101.6	177.8	1649.9	292.1	60.5	152.4	***	152.4	***	241.3	152	***	270	
607T036	368.3	196.9	2286.0	344.4	25.4	762.0	762.0	406.4	22.4	228.6	241.3	3195.6	101.6	177.8	2379.7	292.1	60.5	152.4	***	152.4	***	241.3	152	***	270	
207T050	368.3	196.9	1143.0	279.4	25.4	****	****	406.4	22.4	228.6	241.3	1987.6	101.6	177.8	1171.4	292.1	60.5	152.4	***	152.4	***	241.3	152	***	241.3	
407T050	368.3	196.9	1981.2	462.0	25.4	1219.2	****	406.4	22.4	228.6	241.3	3008.4	101.6	177.8	2192.3	292.1	60.5	152.4	***	152.4	***	241.3	152	***	270	
607T050	368.3	196.9	2844.8	608.1	25.4	762.0	1168.4	406.4	22.4	228.6	241.3	4018.0	101.6	177.8	3201.9	292.1	60.5	152.4	***	152.4	***	241.3	152	***	270	
107T065	368.3	196.9	660.4	219.2	25.4	****	****	444.5	22.4	228.6	241.3	1444.8	101.6	177.8	603.3	292.1	60.5	152.4	***	203.2	***	298.5	203	***	298.5	
207T065	368.3	196.9	863.6	469.9	25.4	****	****	444.5	22.4	228.6	241.3	1898.7	101.6	177.8	1057.4	292.1	60.5	152.4	***	203.2	***	298.5	203	***	298.5	
407T065	368.3	196.9	1778.0	476.3	25.4	836.6	****	444.5	22.4	228.6	241.3	2810.0	101.6	177.8	1978.2	292.1	60.5	152.4	***	203.2	***	298.5	203	***	298.5	
107T090	368.3	196.9	660.4	384.3	25.4	****	****	444.5	22.4	228.6	241.3	1609.9	101.6	177.8	768.4	292.1	60.5	152.4	***	203.2	***	298.5	203	***	298.5	
207T090	368.3	196.9	1422.4	244.6	25.4	660.4	****	444.5	22.4	228.6	241.3	2232.2	101.6	177.8	1309.7	292.1	60.5	152.4	***	203.2	***	298.5	203	***	298.5	
408T065	384.3	241.3	1778.0	520.7	28.7	889.0	****	495.3	25.4	279.4	330.2	2924.3	101.6	177.8	2019.3	381.0	73.2	161.3	***	203.2	***	298.5	203	***	330.2	
608T065	384.3	241.3	2921.0	279.4	28.7	889.0	1061.0	495.3	25.4	279.4	330.2	3825.7	101.6	177.8	254.0	2921.0	381.0	73.2	161.3	***	203.2	***	298.5	203	***	330.2
208T090	384.3	241.3	1447.8	263.7	28.7	685.8	****	495.3	25.4	279.4	330.2	2336.8	101.6	177.8	1432.1	381.0	73.2	161.3	***	203.2	***	298.5	203	***	298.5	
408T090	384.3	241.3	2590.8	378.0	28.7	762.0	914.4	495.3	25.4	279.4	330.2	3594.1	101.6	177.8	2689.4	381.0	73.2	161.3	***	203.2	***	298.5	203	***	330.2	
608T090	384.3	241.3	3683.0	530.4	28.7	889.0	1397.0	495.3	25.4	279.4	330.2	4838.7	101.6	177.8	3934.0	381.0	73.2	161.3	***	203.2	***	298.5	203	***	330.2	
108T115	384.3	241.3	762.0	301.8	28.7	****	****	495.3	25.4	279.4	330.2	1689.1	101.6	177.8	784.4	381.0	73.2	161.3	***	203.2	***	298.5	203	***	298.5	
208T115	384.3	241.3	1371.6	285.8	28.7	762.0	****	495.3	25.4	279.4	330.2	2283.0	101.6	177.8	1378.0	381.0	73.2	161.3	***	203.2	***	298.5	203	***	298.5	
410T090	406.4	304.8	2590.6	403.9	28.7	762.0	****	495.3	25.4	279.4	330.2	3705.9	101.6	177.8	2696.2	381.0	85.9	165.1	***	203.2	***	298.5	203	***	330.2	
610T090	406.4	304.8	3810.0	419.6	28.7	762.0	914.4	495.3	25.4	279.4	330.2	4940.8	101.6	177.8	3931.2	381.0	85.9	165.1	***	203.2	***	298.5	203	***	330.2	
410T115	406.4	304.8	2590.8	298.5	28.7	762.0	1524.0	495.3	25.4	279.4	330.2	3600.5	101.6	177.8	2590.8	381.0	85.9	165.1	***	203.2	***	298.5	203	***	330.2	
610T115	406.4	304.8	3556.0	518.2	27.9	762.0	914.4	495.3	25.4	279.4	330.2	4785.4	101.6	177.8	3775.7	381.0	85.9	165.1	***	203.2	***	298.5	203	***	330.2	
110T175	406.4	304.8	762.0	425.5	28.7	****	****	548.1	25.4	279.4	330.2	1898.7	101.6	177.8	860.6	381.0	85.9	165.1	***	254	***	362	254	***	362	
210T175	406.4	304.8	1524.0	339.9	28.7	762.0	****	548.1	25.4	279.4	330.2	2575.1	101.6	177.8	1536.7	381.0	85.9	165.1	***	254	***	362	254	***	362	
410T175	406.4	304.8	2794.0	422.4	28.7	762.0	****	548.1	25.4	279.4	330.2	3927.6	101.6	177.8	2891.0	381.0	85.9	165.1	***	254	***	362	254	***	362	
111T345	533.4	381.0	1447.8	336.6	31.8	762.0	1061.0	596.9	25.4	330.2	368.3	2698.8	104.9	330.2	1429.5	431.8	98.6	188.7	***	254	***	362	254	***	362	
211T345	533.4	381.0	2286.0	669.0	31.8	1219.2	****	596.9	25.4	330.2	368.3	3869.4	104.9	330.2	2900.5	431.8	98.6	188.7	***	254	***	362	254	***	362	

Performance based on water at 20°C, with pressures up to 52.4 bar.

*** NOT REQUIRED

**** Please refer to inches dimension table



2205 E.L. Anderson Blvd., Claremore, OK 74017 U.S.A.
Telephone: 800.854.1879 Fax: 918.341.8297

www.tarby.com